## **Design Template**

# OCTANE FUEL





Rider In	formation
Name:	
Phone:	
Email:	
Height:	Weight:
Current Chair:	Current Cushion:
Ability/Diagnosis:	
<b>RGK Contact Authorization:</b> RGK would like to send you exclusive offers on RGK.	information, news and promotional
I would like to be contacted by RGK:	
Signature:	Date:
*We do not pass yo	our personal information onto any third party.

Account Information

Account Name : \_\_\_\_\_\_ Ship to: Account Rider

Account #: \_\_\_\_ PO#: \_\_\_\_\_ Name: \_\_\_\_\_\_


Contact Name : \_\_\_\_\_ Address: \_\_\_\_\_\_

Phone: \_\_\_\_\_ RGK Genius: \_\_\_\_\_


#### Frame Styles Octane Sub4 (Max User Weight 110kg/242lbs. HCPCS Coded K0005) \$9,355 701XZ010 701XA070 Open design STD Dual-Tube design 701XA080 NCO Quote Only (No CAD for Approval) 701XW009 STD STD 701XW011 Order Only (No CAD for Approval) 701XW012 **Quote CAD drawing for approval** (1st CAD is NCO.) NCO 701XW010 Order CAD drawing for approval (1st CAD is NCO.) NCO Open Design Dual-Tube Design CAD approved by: 701XW013 Customer 701XW014 RGK Genius


### Measurements


<b>Please Note:</b> All RGK chairs are hand built ar of +/- 5mm (.25). All measurements can be d		•
Please select either Millimeters or Inches		
Measurements: Millimeters (mn	n.)	Inches (in.)
701XY010 <b>Rear Seat Width</b> Measured from opposite side guard. Or outside seat tube to o backrest. (Min. 250mm/9.84" and Max. 440m mm. in.	utside of oppo	•
Current Chair:	New Chair:	
701XY020 <b>Seat Depth/Seat Length</b> Measur the front edge of seat sling. Frame bend will s Extra Frame Length requested. (Min. 250mm/	tart .5″ in fron	t of seat sling unless
Current Chair:	New Chair:	
701XY030 <b>Extra Frame Length</b> Measured fr beginning of Front frame bend. (Max. 470mm, length)	_	_
Current Chair:	New Chair:	
701XY050 <b>Front Frame Height</b> Measured from 380mm/14.96" and Max. 520mm/20.47")	om floor to ape	ex of seat tube. (Min.
Current Chair:	New Chair:	
701XY060 <b>Rear Frame Height</b> Measured fro edge of seat sling.(Min. 360mm/14.17" and M		
Current Chair:	New Chair:	




701XY070 Occupied Frame Length/Frame Length Measured from the front of the backrest tube to the front edge of the footrest. (Min. 390mm/15.35" and Max. 635mm/25") Current Chair: New Chair: 701XY072 **Caster Stem Position** Measured from the front edge of the footrest to the centerline of the caster barrel. 701XY073 RGK to Optimize: Current Chair: New Chair: 701XA020 Ergonomic Seat Measured from front of back post to beginning of upward bend of seat tube. New Chair: Current Chair: 701XY080 Front Seat Taper/Seat Taper Design Measured from inside of front frame tube at the front frame bend to inside of opposite front frame tube at the front frame bend. Current Chair: New Chair: 701XY091 Footrest Width/Parallel Taper Measured from inside of front frame tube at footrest adjustment to inside of opposite front frame tube at footrest adjustment. (Tip: when ordered together XY091 is usually 20mm (1") less than XY080). Current Chair: New Chair: 701XY115 Front Footrest Height Measured from ground up to the top of the Front footrest tube or cover. New Chair: Current Chair: 701XY120 Rear Footrest Height Measured from ground up to the top of the Rear footrest tube or cover. Standard is 20mm less than Front Footrest Height. New Chair: Current Chair: 701XY125 Footrest Length Measured from front edge of footrest to back edge of footrest.(Max 140mm for certified weight) Current Chair: New Chair: 701XB200 # High Mount Footrest/High Level Footrest Measured from ground up to the top of the Front footrest tube or cover (Min. 127mm/5.5"). \$147 Current Chair: New Chair:













701XY330 Stem Bolt/Caster Pin Width Measured from centerline of caster pin to the centerline of the opposite caster pin. 701XY331 RGK to Optimize: Current Chair: New Chair: 701XY231 Backrest Height Measured from top of seat tube at rear of frame to top of back-post. Current Chair: New Chair: 701XY360 Backrest Angle Measured as the angle from top front of the backrest tube to the floor. (Max.  $-10^{\circ}$  to  $+10^{\circ}$ ) -3° Current Chair: New Chair: 701XG110 Inward Taper Measured from inside backrest tube to inside of opposite backrest tube at the top of the backrest. \$84 Current Chair: New Chair: 701XG100 Ergonomic Backrest Measured from top of seat tube at rear of frame to the start of the rearward bend of back-post. \$84 Current Chair: New Chair: 701XG120 Outward Flare Measured from inside backrest tube to inside of opposite backrest tube at the top of the backrest. \$84 Current Chair: New Chair: 701XY390 Camber Angle Place a straight edge across the outside of rear wheel and use an angle finder to show the degree of camber. Current Chair: 701XY397 1° New Chair: 701XY398 2° 3° 701XY399 3° 701XH165 Center of Gravity Measured from front of back post at the seat tube to the centerline of the rear axle. Current Chair: New Chair: 701XY460 Rear Wheel Gap Measured from outer most point of chair (seat back post, side guard or armrest) to inside of rear tire. Current Chair: .6''(15)New Chair: 701XY464 .6"(15) .78"(20) 701XY465 .78"(20)


1"(25)











701XY466 1"(25)

### **Design Template**

701XD010

**Omit Wheel Lock** 

701XR060 Welded Calf Strap Mounting Loops Measured from the ground to the top of where the calf strap is required. 701XR061 RGK to Optimize: \$106 Current Chair: New Chair: **Footrest Design** 701XY100 Round Design (Titanium) STD 701XY105 Square Design (Titanium) NCO **Footrest Cover** 701XB045 STD 701XB046 Lightweight 3K carbon fiber, footrest cover WITHOUT center cut out NCO 701XB155 Supply the state of the stat NCO 701XB156 Light weight Spinergy Cast Carbon fiber footrest cover WITHOUT center cut out NCO Footplate Width STD 701XB049 Footplate width Sub4 certified (Std if no option selected) 701XB050 NCO Footplate width optimized for chair Front Wheels 701XC135 Aluminum Center 4"x1.25" STD 701XC1131 Sliver hub & black tire 701XC1132 Black hub & black tire 701XC1133 Purple hub & black tire 701XC1134 Green hub & black tire 701XC1135 Red hub & black tire 701XC1136 Blue hub & black tire NCO 701XC155 4" x 1.25" Spinergy CX6 Cast Carbon fiber front wheel 701XC156 Cerakoted Spinergy CX6 Cast Carbon fiber front wheel (Hub only, See Cerakot color options on page 6) NCO 701XC140 Aluminum Center 5"x1.4"(Sliver hub & black tire) \$133 Forks STD 701XC190 Low Ride fork 701XC192 **High Trail fork** NCO Wheel Lock 701XD036 Compact Scissor with Direct Mount (Only available with 701XH100 Single post fixed center of gravity) STD 701XD020 Underseat Scissor NCO 701XD050 Push To Lock NCO 701XD085 **@ Eagle** (Indicate color) \$104 701XD086 Eagle with Direct Mount (Indicate color) (Only available with 701XH100 Single post fixed center of gravity) \$118 701XD088 Black 701XD089 Purple 702XD090 Red 701XD091 Blue

NCO

			Sid	e Guards				
701XE055	Screw on light	tweight 3k carbo	n fiher					STI
701XE275		nergy CX6 Cast C						NCC
01/122/0		25mm above tire (I						NCC
			e (Follow tire - max. 25mr	n)				NCC
		evel with tire	•	,				STD
	701XEM07 S	Side guard length						STD
		Side guard height						STD
701XE065		tweight 3k carbo	on fiber with fender					STD
		.0mm above tire						NCC
			e (Follow tire - max. 25mr	n)				NCC
		Center of tire						STD
	701XEM10 C	Outside of Tire						STD
			В	ackrest				
701XG010	Fixed Backres							STD
701XG020	Folding back	krest with 2 posi	tion snap lock and angle					\$347
			Cente	er of Gravity				
701XH100	Single post fix	ced center of gra	vity					STD
701XH130	Square back	c adjustable of g	r <b>avity</b> (Range: 25mm - 12	5mm)				\$385
701XH140	Round back	adjustable of gr	avity (Range: 60mm - 12	ōmm)				\$385
			Pus	h Handles				
701XG070	Screw in pu	sh handles						\$162
XG080	Flip down p	ush handles						\$249
			A	Anti-Tip				
701XJ100	Single sport	anti-tip						\$459
			Fram	ne Finishes				
Non painted	finishes							
701XN030	Bead-blast fra	ıme						STD
701XN050	Polished fram	е						NCO
Painted finis	shes							
701XN500	CeraKote fra							NCO
701XN600		•	nent color will match frame if no	· · · · · · · · · · · · · · · · · · ·	·	the state of the s		NCO
701XN800			See Rear Wheel Type on page 8					\$332
701XN501	701XN601	701XN801	Midnight Black	701XN509	701XN609	701XN809	Rose Gold	
701XN502	701XN602	701XN802	Java Bronze	701XN510	701XN610	701XN810	Retro Blue	
701XN503	701XN603	701XN803	Pure Titanium	701XN511	701XN611	701XN811	Hot Pink	
701XN504	701XN604	701XN804	Fire Red	701XN512	701XN612	701XN812	Wicked Green	
701XN505	701XN605	701XN805	Prime Blue	701XN513	701XN613	701XN813	Bright White	
701XN506	701XN606	701XN806	Sahara Gold	701XN514	701XN614	701XN814	Tangerine Orange	
701XN507 701XN508	701XN607	701XN807	Black Cherry	701XN515	701XN615	701XN815	Sunbeam Yellow	
7111 X N 5 H X	701XN608	701XN808	Fresh Green	701XN516	701XN616	701XN816	Matte Navy	

0 1	Accent Color	
7047/1054		CTD
701XN251 701XN253	Black Red	STD NCO
701XN255 701XN255	Purple	NCO
701XN253 701XN252	Silver	NCO
701XN252	Blue	NCO
701XN250	Individual Accent Color	\$180
	Seat Upholstery	
701XP045	Sub4 Seat Sling Adjustable Strap	STD
701XR050	Carbon Fiber Seat Plate	\$353
	Back Upholstery	
701XP035	Sub4 Airtech Adjustable Strap	STD
701XP050	Airtech Adjustable Strap	NCO
	701XP070    Backrest upgrade to leather corners (Only available with Airtech upholstery 701XP050)	\$126
	701XP110	\$93
	Upholstery Stitching Color	
701XP550	Black	STD
701XP551	Silver	NCO
701XP552	Red	NCO
701XP553	Orange	NCO
701XP554	Blue	NCO
701XP555	Purple	NCO
7017/05/57	RGK Backrest Logo Color	CTD
701XP557	White (Standard if nothing selected) Red	STD STD
701XP558 701XP559	Black	NCO
701XP569 701XP560	Blue	NCO
701XP561	Purple	NCO
7 0 2741 0 0 2	Rear Wheel Size	
701XY420	24" (540) Rear wheel size 701XY430 25" (559) Rear wheel size	STD
	Rear Wheel Type	
701XK075	Spinergy BLXL 18 bladed spoke	STD
701XK150	Spinergy CLX 18 bladed spokes carbon fiber rim	\$736
701XK226	Titanium 100mm quick release axle pins	STD
701XK155	RGK EXCLUSIVE Spinergy CX6 Cast Carbon Fiber (Black Carbon Fiber Hub, Matte Black Carbon Fiber Rim and Black Bladed Spokes with 2	
	White Bladed Spokes Around Valve Stem)	\$877
	Spinergy Spoke Colors	
701XK650	Black	STD
701XK651	Red	NCO
701XK652	Purple	NCO
701XK653	White	NCO
701XK654	Blue	NCO

<b>Design Temp</b>	late		(New Options in Blue) OCTANE	SUB 4
70XK655	Orange			NCO
701XK656	Yellow			NCO
701XK657	Pink			NCO
701XK658	Green			NCO
702XK180	Individual spoke design			\$184
	Spinergy Anodized Colors (Rims and Hubs are	anodized not spokes, on Spinergy BLX	(L (701XK075), Hubs only on CLX (701XK150))	
701XK190	Black			STD
701XK202	Purple			\$288
701XK203	Blue			\$288
701XK201	Red			\$288
701XK204	Gold			\$288
701XK205	Individual hub/rims			\$332
	Sup	oply Without Rear Wheels		
701XK040	Omit Rear Wheels			-\$496
	701XK041 Wheel Type:	701XK042 Tire	e Type:	
		Handrims Style		
701XY485	Wide Tab Length			STD
701XY480	Narrow Tab Length			NCO
		g tabs (Recommended for small rear	wheel gaps)	\$106
701XL010	Aluminum Hard Anodized 6 Tab		3520)	STD
701XL160	Elipse Ergonomic 6 Tab			\$525
701XL020	QGrip 6 Tab			\$297
701XL040	Titanium 6 Tab			\$252
701XL035	Natural-Fit LT			\$564
701XL150	Carbolife Gekko			\$451
701XL170	Carbolife Curve L			\$392
701XL180	Carbolife Curve L Tetra			\$527
701XL190	Carbolife Quadro			\$527
701XL200	Spinergy TC			\$438
701XL210	Spinergy TC Max			\$514
		Tires		
701XM060	Schwalbe One (Lightest option)			\$100
701XM150	IRC EXERACER			\$47
701XM010	<b>Kenda</b> 701XM011 Grey	701XM012 Blue	701XM013 Red	STD
701XM020	Schwalbe Marathon Plus			\$71
701XM040	Shox Solid Tire			\$117
701XM050	Kenda K885 Mountain Bike Tire			\$28
		Inner Tubes		
701XY500	Schraeder Valve Inner Tube			STD

			Cushions		
701XP080	© Cushion foam  Density  Thickness	701XP001 Soft 701XP003 50mm	701XP002 Medium 701XP004 75mm	701XP005 100mm	\$87
		С	ushion Covers		
701XP085 701XP090	<ul><li>Nylon Cushion Cove</li><li>Airlite Cushion Cove</li></ul>				STE \$67
		JAY Products - P	ease Include JAY Order Fo	rm	
701XP900 701XP910	<ul><li>JAY Cushion</li><li>JAY Backrest</li></ul>		JAY Order Form (Cushionn will ship and JAY Order Form (Cushionn will ship)		
			Accessories		
701XR080 701XP120 701XP420 701XR010 701XR200 701XR090 701XS065		otectors Neoprene Fasten (Bla Protectors Nylon Fasten (Bla elcro Attach (Black) h RGK Logo (Black)		701VU3 US Navy Patch	\$764 \$75 \$50 \$39 \$67 STD STD \$116

**Estimated MSRP\*** 

Quote



 $(\hbox{*Price does not include any non Design Template or one-off requested options})$ 

## Specification Notes

